FUZHOU TEAMAX POWER TECHNOLOGY CO.,LTD

No. 7, Weijiu Road, Hardware Machinery Industrial Park
Tongqin Town, Wuyi County, Zhejiang, China

Tel:+86-591-83054667 Fax:+86-591-83054667

Email:manager@teamaxpower.com

Mobile:+86-13600850700（wechat/whatsapp)

PROFESSIONAL
INTEGRITY-DRIVEN
BUSINESS PARTNER

GARDEN TOOLS

2026 - 2027 PRODUCT CATALOGUE

About Teamaxpower

Fuzhou Teamax Power Technology Co.,Ltd specializes in producing various types of gardening and agriculture tools &machinery, which mainly include brush cutters,chainsaws,water pumps,lawn mowers, hedge trimmer,earth augers,power sprayers ,blowers and so on.Our products are widely used in home &garden,public parks,sporting and agricultural land.With an enriched products portfolio of features,sizes and uses,we can satisfy our clients requirements in the work force or at home.

20K Sqm Factory

200+ Employees

56+ Countries

Company Strength

We have an advanced enterprise management philosophy and a strict quality control system. Equipped with advanced inspection and testing facilities in the manufacturing process, we aim to provide high quality products for our global partners.Our technology centres have setup long-term strategic partnerships with several national professional organizations. We are committed to continuously enhancing the quality and performance of "TEAMAX" power products,ensuring the company will always occupy the leading position in the industry.

PRODUCT CATALOG

maxtec

GASOLINE GARDEN TOOLS

- 01P-11P BRUSH CUTTER
- 12P-18P CHAIN SAW
- 19P-22P LAWN MOWER
- 23P-25P EARTH AUGER
- 38P HEDGE TRIMMER
- 38P GASOLINE BLOWER
- 49P-52P ACCESSORIES

AGRICULTURE MACHINERY

- 26P-27P GENERAL MACHINERY ENGINES
- 28P-32P WATER PUMP
- 33P-34P GENERATOR SET
- 35P-37P MINI TILLER
- 43-44P POWER SPRAYER
- 45P MIST DUSTER
- 46P OUTBOARD ENGINE
- 47-48P GASOLINE POWER SERIES

CORDLESS TOOLS

- 54P 40V CORDLESS TOOLS
- 55P-56P 20V CORDLESS BRUSH CUTTER
- 57P-58P 20V CORDLESS CHAIN SAW
- 59P-60P 20V CORDLESS PRUNING SCISSOR
- 61-62P TELESCOPIC POLE CORDLESS TOOLS
- 20V CORDLESS HEDGE TRIMMER 63P-64P 20V CORDLESS BLOWER
- 65-66P 20V CORDLESS POWER TOOLS
- 20V CORDLESS HIGH PRESSURE WASHER 67P-68P 20V CORDLESS MULTI-FUNCTION TOOLS

- 4V&8V CORDLESS TOOLS 73P-74P
- 12V&16V CORDLESS TOOLS 71P-72P
- 20V OTHER CORDLESS TOOLS 69P-70P

TM-CG260 BRUSH CUTTER

Engine Model	1E34F
Engine Type	2-Stroke,Air-cooled
Rated Output power	0.75kw/7500rpm
Displacement	25.4cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	750ml
Working Shaft Length	1500mm

TM-CG330 BRUSH CUTTER

Engine Model	1E36F
Engine Type	2-Stroke,Air-cooled
Rated Output power	0.9kw/6500rpm
Displacement	32.6cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	900ml
Working Shaft Length	1500mm

TM-CG520B BRUSH CUTTER

Engine Model	1E44F-5B
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.80kw/6500rpm
Displacement	51.7cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1500mm

TM-CG520TB BRUSH CUTTER

Engine Model	TB52
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.80kw/6500rpm
Displacement	51.7cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1500mm

TM-CG430 BRUSH CUTTER

Engine Model	1E40F-5
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.40kw/6500rpm
Displacement	42.7cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1500mm

TM-CG520 BRUSH CUTTER

Engine Model	1E44F-5
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.80kw/6500rpm
Displacement	51.7cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1500mm

TM-CG520TBE BRUSH CUTTER

Engine Model	TB52
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.80kw/6500rpm
Displacement	51.7cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1500mm

TM-CG520G BRUSH CUTTER

Engine Model	1E44-5G
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.80kw/6500rpm
Displacement	51.7cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1500mm

TM-CG520BV BRUSH CUTTER

Engine Model	1E44F-5B
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.80kw/6500rpm
Displacement	51.7cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1500mm

(Anti-Vibration)

TM-CG520TBV BRUSH CUTTER

Engine Model	TB52
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.80kw/6500rpm
Displacement	51.7cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1500mm

TM-CG139 BRUSH CUTTER

Engine Model	139F
Engine Type	4-Stroke,Air-cooled
Rated Output power	0.75kw/7500rpm
Displacement	31cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	630ml
Working Shaft Length	1500mm

TM-CG139B BRUSH CUTTER

Engine Model	139F-2
Engine Type	4-Stroke,Air-cooled
Rated Output power	0.75kw/7500rpm
Displacement	31cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	630ml
Working Shaft Length	1500mm

TM-CG630A BRUSH CUTTER

Engine Model	1E48F
Engine Type	2-Stroke,Air-cooled
Rated Output power	2.4kw/6500rpm
Displacement	63cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1500mm

TM-CG630TB BRUSH CUTTER

Engine Model	1E48F-5B
Engine Type	2-Stroke,Air-cooled
Rated Output power	2.4kw/6500rpm
Displacement	63cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1500mm

TM-CG435 BRUSH CUTTER

Engine Model	GX35
Engine Type	4-Stroke,Air-cooled
Rated Output power	1.0kw/6500rpm
Displacement	35.8cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	630ml
Working Shaft Length	1500mm

TM-CG450 BRUSH CUTTER

Engine Model	GX50
Engine Type	4-Stroke,Air-cooled
Rated Output power	1.5kw/6500rpm
Displacement	50cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	750ml
Working Shaft Length	1500mm

TM-CG226R BRUSH CUTTER

Engine Model	226R(Husqvarna Model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	0.81kw/7500rpm
Displacement	25.4cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	750ml
Working Shaft Length	1500mm

TM-CG143R BRUSH CUTTER

Engine Model	143R(Husqvarna Model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.60kw/6500rpm
Displacement	41.5cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1000ml
Working Shaft Length	1500mm

TM-CG411 BRUSH CUTTER

Engine Model	1E40F-6(Robin model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.45kw/6500rpm
Displacement	40.2cc
Idling Speed	3000(±200)rpm
Carburetor	Floating Type
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1000ml
Working Shaft Length	1500mm

TM-RBC411 BRUSH CUTTER

Engine Model	1E40F-6(Makita model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.45kw/6500rpm
Displacement	40.2cc
Idling Speed	3000(±200)rpm
Carburetor	Floating Type
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1000ml
Working Shaft Length	1500mm

TM-CG541R BRUSH CUTTER

Engine Model	541R(Husqvarna Model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.60kw/6500rpm
Displacement	41.5cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1000ml
Working Shaft Length	1500mm

TM-CG553R BRUSH CUTTER

Engine Model	553R(Husqvarna Model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	2.40kw/6500rpm
Displacement	50.6cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1000ml
Working Shaft Length	1500mm

TM-C230 BRUSH CUTTER

Engine Model	C230(Shindaiwa model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	0.75kw/7500rpm
Displacement	22.5cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	750ml
Working Shaft Length	1500mm

TM-CGB45 BRUSH CUTTER

Engine Model	B450(Shindaiwa model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	2.2kw/6500rpm
Displacement	41.5cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	900ml
Working Shaft Length	1500mm

TM-CG400 BRUSH CUTTER

Engine Model	1E40F-7(Kawasaki model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.40kw/6500rpm
Displacement	40.7cc
Idling Speed	3000(±200)rpm
Carburetor	Floating Type
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1000ml
Working Shaft Length	1500mm

TM-CTJ45E BRUSH CUTTER

Engine Model	TJ45E(Kawasaki model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.45kw/7500rpm
Displacement	45.4cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1100ml
Working Shaft Length	1500mm

TM-BG328 KNAPSACK BRUSH CUTTER

Engine Model	1E36FB
Engine Type	2-Stroke,Air-cooled
Rated Output power	0.81kw/6500rpm
Displacement	30.5cc
Idling Speed	3000(±200)rpm
Carburetor	Float
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1500ml
Working Shaft Length	1350mm

TM-BG328A KNAPSACK BRUSH CUTTER

Engine Model	1E36FB
Engine Type	2-Stroke,Air-cooled
Rated Output power	0.81kw/6500rpm
Displacement	30.5cc
Idling Speed	3000(±200)rpm
Carburetor	Float
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1500ml
Working Shaft Length	1350mm

TM-CTJ53E BRUSH CUTTER

Engine Model	TJ53E(Kawasaki model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	2.0kw/8500rpm
Displacement	53.2cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1100ml
Working Shaft Length	1500mm

TM-BTJ53E BRUSH CUTTER

Engine Model	TJ53E(Kawasaki model)
Engine Type	2-Stroke,Air-cooled
Rated Output power	2.0kw/8500rpm
Displacement	53.2cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1100ml
Working Shaft Length	1350mm

TM-BG520A KNAPSACK BRUSH CUTTER

Engine Model	1E44F-5
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.80kw/6500rpm
Displacement	51.7cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1350mm

TM-BG520H KNAPSACK BRUSH CUTTER

Engine Model	1E44F-5
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.8kw/6500rpm
Displacement	51.7cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1350mm

TM-BG435 — KNAPSACK BRUSH CUTTER

Engine Model	GX35
Engine Type	4-Stroke,Air-cooled
Rated Output power	1.1kw/6500rpm
Displacement	35.8cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1350mm

TM-BG435H — KNAPSACK BRUSH CUTTER

Engine Model	GX35
Engine Type	4-Stroke,Air-cooled
Rated Output power	1.1kw/6500rpm
Displacement	35.8cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1350mm

TM-BG143 — KNAPSACK BRUSH CUTTER

Engine Model	143R
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.6kw/6500rpm
Displacement	41.5cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml
Working Shaft Length	1350mm

TM-MT520 — MULTIFUNCTION BRUSH CUTTER(4IN1)

Engine Model	1E44F-5
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.80kw/6500rpm
Displacement	52cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	1200ml

*Pole saw+Pole hedge trimmer + Metal blade + Trimmer head(4IN1)

TM-MT435 — MULTIFUNCTION BRUSH CUTTER(4IN1)

Engine Model	GX35
Engine Type	4-Stroke,Air-cooled
Rated Output power	1.0kw/6500rpm
Displacement	35.8cc
Idling Speed	3000(±200)rpm
Carburetor	Diaphragm
Mixed Fuel Ratio	1:30
Fuel Tank Capacity	630ml

* Pole saw+Pole hedge trimmer + Metal blade + Trimmer head(4IN1)

TM-HTP26 — TELESCOPIC HIGH POLE SAW

Engine Model	1E34ForTU26
Engine Type	2-Stroke,Air-cooled
Rated Output power	0.75kw/7500rpm
Displacement	26cc
Idling Speed	3000(±200)rpm
Telescopic scope	2.2m-4.5m



Adjust at will within 90 degrees down

TM-WBC520A HAND PUSH BRUSH CUTTER

Engine Model	1E44F-5
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.80kw/6500rpm
Displacement	51.7cc
Idling Speed	3000(±200)rpm

TM-WBC435 KNAPSACK BRUSH CUTTER

Engine Model	GX35
Engine Type	4-Stroke,Air-cooled
Rated Output power	1.10kw/6500rpm
Displacement	35.8cc
Idling Speed	3000(±200)rpm

TM-WBC520B HAND PUSH BRUSH CUTTER

Engine Model	1E44F-5
Engine Type	2-Stroke,Air-cooled
Rated Output power	1.80kw/6500rpm
Displacement	51.7cc
Idling Speed	3000(±200)rpm

TM-WBC139P HAND PUSH MOWER

Engine Model	139ForGX35
Engine Type	4-Stroke,Air-cooled
Rated Output power	1.10kw/6500rpm
Displacement	31cc
Idling Speed	3000(±200)rpm
Cutting height	0-1m
Cutting length	1.2m

TM-CS2500

Rated Output Power:	0.9kw/7500rpm
Displacement:	25.4cc
Guide Bar Size:	10"(25cm)/12"(30cm)

TM-CS2501

Rated Output Power:	0.9kw/7500rpm
Displacement:	25.4cc
Guide Bar Size:	10"(25cm)/12"(30cm)

TM-CS5200

Rated Output Power:	2.2kw/7500rpm
Rated Output Power:	52cc
Guide Bar Size:	18"(45cm)/20"(50cm)

TM-CS5201

Rated Output Power:	2.2kw/7500rpm
Rated Output Power:	52cc(Option 45cc,58cc,62cc)
Guide Bar Size:	18"(45cm)/20"(50cm)

TM-CS2511

Rated Output Power:	1.1kw/7500rpm
Displacement:	25cc
Guide Bar Size:	10"(25cm)/12"(30cm)

TM-CS3800

Rated Output Power:	1.4kw/7500rpm
Displacement:	38.2cc
Guide Bar Size:	14"(35CM)/16"(40CM)

TM-CS5202

Rated Output Power:	2.2kw/7500rpm
Displacement:	52cc(Option 45cc,58cc,62cc)
Guide Bar Size:	18"(45cm)/20"(50cm)

TM-CS5203

Rated Output Power:	2.2kw/7500rpm
Displacement:	52cc(Option 45cc,58cc,62cc)
Guide Bar Size:	18"(45cm)/20"(50cm)

TM-CS4000

Rated Output Power:	1.6kw/7500rpm
Rated Output Power:	39.6cc
Guide Bar Size:	16"(40cm)

TM-CS4500

Rated Output Power:	1.8kw/7500rpm
Rated Output Power:	45cc
Guide Bar Size:	16"(40cm)/18"(45cm)

TM-CS5204

Rated Output Power:	2.2kw/7500rpm
Rated Output Power:	52cc(Option 45cc,58cc,62cc)
Guide Bar Size:	18"(45cm)/20"(50cm)

TM-CS5205

Rated Output Power:	2.2kw/7500rpm
Rated Output Power:	52cc(Option 45cc,58cc,62cc)
Guide Bar Size:	18"(45cm)/20"(50cm)

TM-CS5800

Rated Output Power:	2.4kw/7500rpm
Displacement:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5801

Rated Output Power:	2.4kw/7500rpm
Displacement:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5806

Rated Output Power:	2.4kw/7500rpm
Rated Output Power:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5807

Rated Output Power:	2.4kw/7500rpm
Rated Output Power:	58cc(Option 42cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5802

Rated Output Power:	2.4kw/7500rpm
Displacement:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5803

Rated Output Power:	2.4kw/7500rpm
Displacement:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50CM)/22"(55CM)

TM-CS5808

Rated Output Power:	2.4kw/7500rpm
Displacement:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5809

Rated Output Power:	2.4kw/7500rpm
Displacement:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5804

Rated Output Power:	2.4kw/7500rpm
Rated Output Power:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5805

Rated Output Power:	2.4kw/7500rpm
Rated Output Power:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5810

Rated Output Power:	2.4kw/7500rpm
Rated Output Power:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5811

Rated Output Power:	2.4kw/7500rpm
Rated Output Power:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5812

Rated Output Power:	2.4kw/7500rpm
Displacement:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5813

Rated Output Power:	2.4kw/7500rpm
Displacement:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-MS180

Rated Output Power:	1.5kw/9000rpm
Rated Output Power:	31.8cc
Guide Bar Size:	14"(35cm)/16"(40cm)

TM-MS250

Rated Output Power:	2.3kw/8500rpm
Rated Output Power:	45.8cc
Guide Bar Size:	16"(40cm)/18"(45cm)

TM-CS5815

Rated Output Power:	2.4kw/7500rpm
Displacement:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS5816

Rated Output Power:	2.8kw/7500rpm
Displacement:	58cc (Option 45cc,52cc,62cc)
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-MS361

Rated Output Power:	3.4kw/9500rpm
Displacement:	59cc
Guide Bar Size:	20"(50cm)/24"(60cm)

TM-MS381

Rated Output Power:	3.3kw/7000rpm
Displacement:	72.2cc
Guide Bar Size:	20"(50cm)/24"(60cm)

TM-CS6020

Rated Output Power:	3.0kw/7500rpm
Rated Output Power:	62cc
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-CS6021

Rated Output Power:	3.0kw/7500rpm
Rated Output Power:	62cc
Guide Bar Size:	20"(50cm)/22"(55cm)

TM-MS660

Rated Output Power:	92cc
Rated Output Power:	58cc(Option 45cc,52cc,62cc)
Guide Bar Size:	30"(75cm)/36"(90cm)

TM-MS070

Rated Output Power:	4.8kw/6500rpm
Rated Output Power:	105cc
Guide Bar Size:	36"(90cm)/42"(105cm)

BEST ENGINE

HIGH PERFORMANCE

EASY MAINTENANCE

4STROKE

TM400P-A

TM430P-A

TM460P-A

TM510P-A

Drive type	16" Hand push	17" Hand push	18" Hand push	20" Hand push
Engine Model:	TM130V	TM130V	TM150V	TM180V
Engine Type:	4-stroke, OHV	4-stroke, OHV	4-stroke, OHV	4-stroke, OHV
Displacement:	130cc	130cc	150cc	182cc
Engine Power:	2.2kw/3.0HP	2.2kw/3.0HP	2.9kw/4.0HP	3.6kw/5.0HP
Fuel tank capacity:	1.0L	1.0L	1.0L	1.0L
Oil Tank capacity:	0.5L	0.5L	0.5L	0.5L
Cutting width:	400mm(16")	430mm(17")	460mm(18")	510mm(20")
Cutting height:	30-65mm /3 positions	30-75mm /5 positions	30-75mm /7 positions	30-75mm /7 positions
Grass bag capacity:	45L(Fabric)	45L(Fabric)	50L(Fabric)	55L(Half plastic)
Deck material:	Plastic	Metal	Metal	Metal
Wheel Diameter:	Front 6inch,Rear 6inch	Front 6inch,Rear 8inch	Front 7inch,Rear 8inch	Front 8inch,Rear 10inch
Discharge:	Rear	Rear	Rear	3in1 with mluching

TM430S-A

TM460S-A

TM510S-A

Drive type	17" Self-propelled	18" Self-propelled	20" Self-propelled
Engine Model:	TM130V	TM150V	TM180V
Engine Type:	4-stroke, OHV	4-stroke, OHV	4-stroke, OHV
Displacement:	130cc	150cc	182cc
Engine Power:	2.2kw/3.0HP	2.9kw/4.0HP	3.6kw/5.0HP
Fuel tank capacity:	1.0L	1.0L	1.0L
Oil Tank capacity:	0.5L	0.5L	0.5L
Cutting width:	430mm(17")	460mm(18")	510mm(20")
Cutting height:	30-75mm /5 positions	30-75mm /7 positions	30-75mm /7 positions
Grass bag capacity:	45L(Fabric)	50L(Fabric)	55L(Half plastic)
Deck material:	Metal	Metal	Metal
Wheel Diameter:	Front 7inch,Rear 8inch	Front 7inch,Rear 8inch	Front 8inch,Rear 10inch
Discharge:	Rear	4in1 with mluching	4in1 with mluching

BEST ENGINE

HIGH PERFORMANCE

EASY MAINTENANCE

4STROKE

TM430P-C TM460P-C TM510P-C TM530P-C

Drive type	17" Hand push	18" Hand push	20" Hand push	21" Hand push
Engine Model:	TM150V	TM150V	TM200V	TM230V
Engine Type:	4-stroke, OHV	4-stroke, OHV	4-stroke, OHV	4-stroke, OHV
Displacement:	150cc	150cc	200cc	225cc
Engine Power:	2.9kw/4.0HP	2.9kw/4.0HP	4.0kw/5.5HP	4.4kw/6.0HP
Fuel tank capacity:	1.0L	1.0L	1.2L	1.2L
Oil Tank capacity:	0.5L	0.5L	0.5L	0.5L
Cutting width:	430mm(17")	460mm(18")	510mm(20")	530mm(21")
Cutting height:	25-75mm(±5)/3positions	25-75mm(±5)/7positions	25-75mm(±5)/7positions	25-75mm/7positions
Grass bag capacity:	50L(Half plastic)	50L(Half plastic)	60L(Half plastic)	60L(Half plastic)
Deck material:	Metal	Metal	Metal	Metal
Wheel Diameter:	Front 7inch,Rear 8inch	Front 7inch,Rear 8inch	Front 8inch,Rear 10inch	Front 8inch,Rear 10inch
Discharge:	4in1 with mluching	Rear	4in1 with mluching	4in1 with mluching

TM430S-C TM460S-C TM510S-C TM530S-C

Drive type	17" Self-propelled	18" Hand push	20" Self-propelled	21" Self-propelled
Engine Model:	TM150V	TM150V	TM200V	TM230V
Engine Type:	4-stroke, OHV	4-stroke, OHV	4-stroke, OHV	4-stroke, OHV
Displacement:	150cc	150cc	200cc	225cc
Engine Power:	2.9kw/4.0HP	2.9kw/4.0HP	4.0kw/5.5HP	4.4kw/6.0HP
Fuel tank capacity:	1.0L	1.0L	1.2L	1.2L
Oil Tank capacity:	0.5L	0.5L	0.5L	0.5L
Cutting width:	430mm(17")	460mm(18")	510mm(20")	530mm(21")
Cutting height:	25-75mm(±5)/7positions	25-75mm(±5)/7positions	25-75mm(±5)/7positions	25-75mm /7 positions
Grass bag capacity:	50L(Half plastic)	50L(Half plastic)	60L(Half plastic)	60L(Half plastic)
Deck material:	Metal	Metal	Metal	Metal
Wheel Diameter:	Front 7inch,Rear 8inch	Front 7inch,Rear 8inch	Front 8inch,Rear 10inch	Front 8inch,Rear 10inch
Discharge:	4in1 with mluching	4in1 with mluching	4in1 with mluching	4in1 with mluching

TM-EA520A

TM-EA520B

Engine Model	Engine Type	Displacement	Rated Power	Mixed Fuel Ratio
1E44F	2-Stroke,Air cooled	52cc	1.8kw(2.5HP)	1:30

Shaft extension

Single blade bit

Double blade bit

TM-EA630A

TM-EA630B

Engine Model	Engine Type	Displacement	Rated Power	Mixed Fuel Ratio
1E48F	2-Stroke,Air cooled	63cc	2.5kw(3.0HP)	1:30

TM-EA630C

TM-EA630D

Engine Model	Engine Type	Displacement	Rated Power	Mixed Fuel Ratio
1E48F	2-Stroke,Air cooled	63cc	2.5kw(3.0HP)	1:30

TM-EA144F TM-EA143 TM-EA710

Model No.	TM-EA144F	TM-EA143	TM-EA710
Engine Model	144F	G45	1E50F
Engine Type	4-Stroke,Air cooled	2-Stroke,Air cooled	2-Stroke,Air cooled
Displacement	58cc	41.5cc	71cc
Rated Power	2.2kw(3.0HP)	1.60kw/6500rpm	2.8kw(3.5HP)
Mixed Fuel Ratio	1:30	1:30	1:30

TM-170F-1 TM-170F-2 TM-170F-4

Model No.	TM-170F-1	TM-170F-2	TM-170F-4
Engine Type	Single-cylinder,Air-cooled 4-Stroke ,OHV Gasoline Engine		←
Bore*Stroke	70*55mm	70*55mm	70*55mm
Max Power Output	7.0HP/3600rpm	7.0HP/3600rpm	7.0HP/3600rpm
Displacement	212cc	212cc	212cc
Max Torque	14.4Nm	14.4Nm	14.4Nm
Starting System	Recoil	Recoil	Recoil
Fuel Tank Capacity	3.6L	3.6L	3.6L
Oil Capacity	0.6L	0.6L	0.6L

TM-188F
TM-190F
TM-192F

Model No.	TM-188F	TM-190F	TM-192F
Engine Type	Single-cylinder,Air-cooled 4-Stroke ,OHV Gasoline Engine		←
Bore*Stroke	88*64mm	90*66mm	92*69mm
Max Power Output	13.0HP/3600rpm	15.0HP/3600rpm	18.0HP/3600rpm
Displacement	389cc	420cc	460cc
Max Torque	26.5Nm	27.2Nm	28.3Nm
Starting System	Recoil	Recoil	Recoil
Fuel Tank Capacity	6.0L	6.0L	6.0L
Oil Capacity	1.1L	1.1L	1.1L

TM-173F/TM-178F

TM-186FA

Model No.	TM-173F	TM-178F	TM-186FA
Engine Type	Single-cylinder,Air-cooled 4-Stroke ,Diesel Engine		←
Bore*Stroke	73*59mm	78*62mm	86*72mm
Max Power Output	5.0HP/3600rpm	6.0HP/3600rpm	9.0HP/3600rpm
Displacement	247cc	296cc	418cc
Max Torque	9.6Nm	10.6Nm	16.7Nm
Starting System	Recoil	Recoil	Recoil
Fuel Tank Capacity	2.5L	3.5L	5.5L
Oil Capacity	0.75L	1.1L	1.65L

TM-WP25A

TM-WP25B

Model No.	TM-WP25A	TM-WP25B
Engine type	Single Cylinder 2-Stroke Air-cooled	←
Max Power Output	1.4kw/6500rpm	1.4kw/6500rpm
Displacement	42.7cc	42.7cc
Water Outlet Size	25mm(1")/40mm(1.5")	25mm(1")/40mm(1.5")
Starting System	Recoil	Recoil
Max Lift Height	30m	30m
Suction	8m	8m

TM-WP25C

TM-WP40D(2IN1)

Model No.	TM-WP25C	TM-WP40D(2IN1)
Engine type	4-Stroke(GX35)	Single Cylinder 2-Stroke Air-cooled
Max Power Output	1.1kw/6500rpm	1.4kw/6500rpm
Displacement	35.8cc	42.7cc
Water Outlet Size	25mm(1")/40mm(1.5")	25mm(1")&40mm(1.5")
Starting System	Recoil	Recoil
Max Lift Height	30m	30m
Suction	8m	8m

TM-WP520F

TM-WP435F

Model No.	TM-WP520F	TM-WP435F
Water Outlet Size	1. 5inch	1. 5inch
Engine type	2-Stroke Air-cooled	4-Stroke Air-cooled
Engine Displacement	52cc	35.8cc
Engine power	1.8kw/6500rpm	1.1kw/6500rpm
Max Lift Height	35m	35m
Suction	7m	7m

TM-WP50A(2"X 2")

TM-WP80A(3"X 3")

Model No.	TM-WP50A	TM-WP80A
Engine Model	TM-170F	TM-170F
Water Outlet Size	50mm(2")	80mm(3")
Flow	30(m³/h)	59(m³/h)
Lift total	30m	28m
Max Suction	7m	7m
Max Power Output	7.0HP/3600rpm	7.0HP/3600rpm
Displacement	212cc	212cc
Fuel Tank Capacity	3.6L	3.6L
Oil Capacity	0.6L	0.6L

TM-WP100A(4"X 4")

TM-WP150B(6"X 6")

Model No.	TM-WP100A	TM-WP150B
Engine Model	TM-170F	TM-190F
Water Outlet Size	100mm(4")	150mm(6")
Flow	78(m³/h)	200(m³/h)
Lift total	25m	25m
Max Suction	7m	7m
Max Power Output	7.0HP/3600rpm	15.0HP/3600rpm
Displacement	212cc	420cc
Fuel Tank Capacity	3.6L	6.0L
Oil Capacity	0.6L	1.1L

TM-WP50B
(HIGH PRESSURE)

Engine Model	TM-170F
Water Outlet Size	50mm(2")
Flow	29(m³/h)
Lift total	75m
Max Suction	7m
Max Power Output	7.0HP/3600rpm
Displacement	212cc
Fuel Tank Capacity	3.6L
Oil Capacity	0.6L

TM-WP50C
(CENTRIFUGAL PUMP)

Engine Model	TM-170F
Water Outlet Size	50mm(2")
Flow	30(m³/h)
Lift total	60m
Max Suction	7m
Max Power Output	7.0HP/3600rpm
Displacement	212cc
Fuel Tank Capacity	3.6L
Oil Capacity	0.6L

TM-WP80T
(TRASH PUMP)

Engine Model	TM-170F
Water Outlet Size	80mm(3")
Flow	50(m³/h)
Lift total	26m
Max Suction	7m
Max Power Output	7.0HP/3600rpm
Displacement	212cc
Fuel Tank Capacity	3.6L
Oil Capacity	0.6L

TM-WP50D (2"X 2")

Engine Model	173F Diesel
Inlet diameter	50mm(2")
Outlet diameter	50mm(2")
Lift	32m
Suction	6-8m
Max.Flow	36m³/h
Rated power	2.2kw/3600(r/min)
Rated Power Output	4.0HP/3600(r/min)
Fuel consumption	≤320g/kw.h
Lubrication consumption	≤6g/kw.h

TM-WP80D(3"X 3")

Engine Model	178F Diesel
Inlet diameter	80mm(3")
Outlet diameter	80mm(3")
Lift	30m
Suction	6-8m
Max.Flow	65m³/h
Rated power	4kw/3600(r/min)
Rated Power Output	6.0HP/3600(r/min)
Fuel consumption	≤280g/kw.h
Lubrication consumption	≤6g/kw.h

TM-WP100D(4"X 4")

Engine Model	186FA Diesel
Inlet diameter	100mm(4")
Outlet diameter	100mm(4")
Lift	55m
Suction	6-8m
Max.Flow	100m³/h
Rated power	6.5kw/3600(r/min)
Rated Power Output	10.0HP/3600(r/min)
Fuel consumption	≤280g/kw.h
Lubrication consumption	≤6g/kw.h

TM-GP2000A / TM-GP2500A / TM-GP3000A / TM-GP3500A

Features:

Powerful-Strong output
Prolonged-Long operating and life
Protective-Overload protection
Portable-Wheels and handles equipped

Model No.	TM-GP2000A	TM-GP2500A	TM-GP3000A	TM-GP3500A
Rated Frequency	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Rated Voltage	220/380V	220/380V	220/380V	220/380V
Rated Power	1.5kw	2.0kw	2.5kw	3.0kw
Max.Power	1.8kw	2.2kw	2.8kw	3.5kw
Engine type	air-cooled,4-stroke(OHV)			
Engine Power	6.5HP/196cc	7.0HP/212cc	7.0HP/212cc	7.0HP/212cc
Fuel tank capacity	15L	15L	15L	15L
Oil tank capacity	0.6L	0.6L	0.6L	0.6L
Starting system	Recoil	Recoil	Recoil	Recoil

TM-GP6500A / TM-GP7500A / TM-GP9500A / TM-GP11000A

Optional:

Model No.	TM-GP6500A	TM-GP7500A	TM-GP9500A	TM-GP11000A
Rated Frequency	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Rated Voltage	220/380V	220/380V	220/380V	220/380V
Rated Power	5.0kw	6.0kw	7.0kw	8.0kw
Max.Power	5.5kw	6.5kw	7.5kw	8.5kw
Engine type	air-cooled,4-stroke(OHV)			
Engine Power	15.0HP/420cc	15.0HP/420cc	18.0HP/460cc	18.0HP/460cc
Fuel tank capacity	25L	25L	25L	25L
Oil tank capacity	1.1L	1.1L	1.1L	1.1L
Starting system	Recoil&Electric	Recoil&Electric	Recoil&Electric	Recoil&Electric

TM-WG520A

TM-WG520B

Model No.	TM-WG520A	TM-WG520B
Engine Model	1E44F-5	1E44F-5
Engine Type	2-Stroke, Air-cooled	2-Stroke, Air-cooled
Displacement	52cc	52cc
Rated power	1.8kw/6500rpm	1.8kw/6500rpm
Working Width	30cm	30cm
Working Depth	10-15cm	10-15cm

TM-WG144FA

TM-WG144FB

Model No.	TM-WG144FA	TM-WG144FB
Engine Model	144F	144F
Engine Type	4-Stroke, Air-cooled	4-Stroke, Air-cooled
Displacement	58cc	58cc
Rated power	2.2kw/6500rpm	2.2kw/6500rpm
Working Width	35cm	35cm
Working Depth	15-20cm	15-20cm

TM-WG630A

TM-WG630B

Model No.	TM-WG630A	TM-WG630B
Engine Model	1E48F	1E48F
Engine Type	2-Stroke, Air-cooled	2-Stroke, Air-cooled
Displacement	63cc	63cc
Rated power	2.4kw/6500rpm	2.4kw/6500rpm
Working Width	35cm	35cm
Working Depth	10-15cm	15-20cm

TM-WG950

TM-WG1000

Model No.	TM-WG950	TM-WG1000
Engine Model	17OF GASOLINE ENGINE	
Starting mode	Manual starter,Recoil	Manual starter,Recoil
Rated Output Power	7.0HP/3600rpm	7.0HP/3600rpm
Gear Box	Full Cast Iron	Aluminium alloy + die cast iron
Drive type	Chain + Belt	Gear
Clutch Type	Tension Clutch	Friction plate clutch
Shifting	1,0,2,-1	1,0,2,-1
Blade Q'ty	3pcs*4 group,total 24pcs	3pcs*4 group,total 24pcs
Wheel	4.00-8	4.00-8
Tilling Width	95cm	100cm
Tilling Depth	≥10cm	≥10cm

Model No.	TM-WG1000D	TM-WG1050D	TM-WG1350D
Engine Model	173F DIESEL ENGINE	178F DIESEL ENGINE	186F DIESEL ENGINE
Starting mode	Manual starter,Recoil		
Rated Output Power	4.0HP/3600rpm	6.0HP/3600rpm	9.0HP/3600rpm
Gear Box	Aluminium alloy + die cast iron		
Drive type	Gear	Gear	Gear
Clutch Type	Friction plate clutch		
Shifting	1,0,2,-1	1,0,2,-1	1,0,2,-1
Blade Q'ty	3pcs*4 group,total 24pcs	4pcs*4 group,total 32pcs	
Wheel	4.00-8	4.00-8	4.00-8
Tilling Width	100cm	105cm	135cm
Tilling Depth	≥10cm	≥10cm	≥10cm

TM-WG1000D/TM-WG1050D/TM-WG1350D

TM-WG1350R

ENGINE MODEL	195FA DIESEL ENGINE
Starting mode	Electic starter & Recoil
Rated Output Power	12.0HP/3600rpm
Gear Box	Aluminium alloy + die cast iron
Drive type	Gear
Clutch Type	Friction plate clutch
Shifting	1,0,2,-1
Blade Q'ty	4pcs*5 group, 40pcs dryland blade
Wheel : 6* 5.0-8 + 2*5.00-12 inflatable tire+2* 5.0-12 rear drive iron wheel	
Tilling Width	135cm
Tilling Depth	≥10cm
Productivity	≥400 ㎡ /h

TM-WG1350RD

ENGINE MODEL	195FA DIESEL ENGINE
Starting mode	Electic starter & Recoil
Rated Output Power	12.0HP/3600rpm
Gear Box	Aluminium alloy + die cast iron
Drive type	Gear
Clutch Type	Friction plate clutch
Shifting	1,0,2,-1
Blade Q'ty	4pcs*5 group, 40pcs dryland blade
Wheel : 6* 5.0-8 + 2*5.00-12 inflatable tire+2* 5.0-12 rear drive iron wheel	
Tilling Width	135cm
Tilling Depth	≥10cm
Productivity	≥400 ㎡ /h

TM-HT230

TM-HT230A

Model No.	TM-HT230	TM-HT230A
Engine Model	1E32F	1E32FB
Engine Type	2-Stroke, Air-cooled	2-Stroke, Air-cooled
Displacement	22.5cc	22.5cc
Rated Output Power	0.75kw/7500rpm	0.75kw/7500rpm
Cutting Length	600mm Double side	600mm Double side

TM-HT230B

TM-HT435

Model No.	TM-HT230B	TM-HT435
Engine Model	1E32FN	GX35
Engine Type	2-Stroke, Air-cooled	4-Stroke, Air-cooled
Displacement	22.5cc	35.8cc
Rated Output Power	0.75kw/7500rpm	1.1kw/7500rpm
Cutting Length	600mm Double side	750mm Single side

TM-EB260

TM-EB260A

Model No.	TM-EB260	TM-EB260A
Engine Model	1E34F	1E34FA
Engine Type	2-Stroke, Air-cooled	2-Stroke, Air-cooled
Displacement	25.6 cc	25.6 cc
Rated Output Power	0.75kw/7500rpm	0.75kw/7500rpm
Air volume	≥0.2m³/s	≥0.2m³/s
Air speed	≥70m/s	≥70m/s

TM-EB260B

TM-EBV260

Model No.	TM-EB260B	TM-EBV260
Engine Model	1E34FB	1E34FB
Engine Type	2-Stroke, Air-cooled	2-Stroke, Air-cooled
Displacement	25.6 cc	25.4 cc
Rated Output Power	0.75kw/7500rpm	0.75 kw/7500rpm
Air volume	≥0.2m³/s	≥0.2m³/s
Air speed	≥70m/s	≥70m/s

TM-EB430 TM-EB520

Model No.	TM-EB430	TM-EB520
Engine Model	1E40F-5	1E44F-5B
Engine Type	2-Stroke, Air-cooled	2-Stroke, Air-cooled
Displacement	43cc	52cc
Rated Output Power	1.4kw/6500rpm	1.8kw/6500rpm
Air volume	≥0.22m³/s	≥0.22m³/s
Air speed	≥70m/s	≥73m/s

TM-EB975 TM-EB985

Model No.	TM-EB975	TM-EB985
Engine Model	1E51F	1E51FP
Engine Type	2-Stroke, Air-cooled	2-Stroke, Air-cooled
Displacement	75.6cc	75.6cc
Rated Output Power	3.1kw/6500rpm	3.1kw/6500rpm
Air volume	≥0.45m³/s	≥0.45m³/s
Air speed	≥92m/s	≥92m/s

TM-EB560 TM-EB650

Model No.	TM-EB560	TM-EB650
Engine Model	1E46FP	1E48FP
Engine Type	2-Stroke, Air-cooled	2-Stroke, Air-cooled
Displacement	58cc	63cc
Rated Output Power	2.6kw/6500rpm	2.8kw/6500rpm
Air volume	≥0.25m³/s	≥0.25m³/s
Air speed	≥70m/s	≥78m/s

TM-EB990 TM-EB995

Model No.	TM-EB990	TM-EB995
Engine Model	1E151F	1E54F
Engine Type	4-Stroke, Air-cooled	2-Stroke, Air-cooled
Displacement	76cc	81.6 cc
Rated Output Power	2.2kw/7500rpm	3.5kw/6500rpm
Air volume	≥0.4m³/s	≥0.51m³/s
Air speed	≥72m/s	≥115m/s

TM-PTU26

TM-PGX35

Model No.	TM-PTU26	TM-PGX35
Engine Model	TU26, 2 Stroke	GX35, 4 Stroke
Engine Output Power	0.81kw/7500rpm	1.1kw/7500rpm
Displacement	25.6cc	35.8cc
Working Pressure	1.5-2.5mpa	1.5-2.5mpa
	30cm Sprayer Gun + 15m hose	30cm Sprayer Gun + 15m hose

TM-HTP22B
TM-HTP30
(DIRECT CONNECTION)



TM-HTP22D
TM-HTP30D
(DIRECT CONNECTION)

Model No.	TM-HTP22B	TM-HTP30	TM-HTP22D	TM-HTP30D
Engine Model	TM-170F	TM-170F	TM-170F	TM-170F
Engine Output Power	7.0hp/3600rpm	7.0hp/3600rpm	7.0hp/3600rpm	7.0hp/3600rpm
Plunger Dia	22mm	30mm	22mm	30mm
Working Pressure	1.5-3.0mpa	1.5-3.0mpa	1.5-3.0mpa	2.5-4.0mpa
Sunction Volume	14-22L/min	25-35L/min	14-22L/min	22-40L/min
60cm Sprayer Gun	←	←	←	←

TM-P708

TM-P767

TM-P800

Model No.	TM-P708	TM-P767	TM-P800
Tank Capacity	25L	25L	25L
Engine Model	TU26, 2 Stroke	TU26, 2 Stroke	TU26, 2 Stroke
Engine Output Power	0.81kw/7500rpm	0.81kw/7500rpm	0.81kw/7500rpm
Working Pressure	1.5-2.5Mpa	1.5-2.5Mpa	1.5-2.5Mpa
Working Flow	8L/min	8L/min	8L/min

TM-P900

TM-P908

TM-P4035

Model No.	TM-P900	TM-P908	TM-P4035
Tank Capacity	30L	30L	25L
Engine Model	TU26, 2 Stroke	GX35, 4 Stroke	GX35, 4 Stroke
Engine Output Power	0.81kw/7500rpm	1.1kw/7500rpm	1.1kw/7500rpm
Working Pressure	1.5-2.5Mpa	1.5-2.5Mpa	1.5-2.5Mpa
Working Flow	8L/min	8L/min	8L/min

3WF-3A

3WF-3D

3WF-3S

Model No.	3WF-3A	3WF-3D	3WF-3S
Tank Capacity	14L/20L/26L	14L/20L/26L	14L/20L/26L
Engine Model	1E40F-3Z	1E40F-3Z	GX35
Engine Type	2-Stroke,Air cooled	2-Stroke,Air cooled	4-Stroke,Air cooled
Rated Power	2.15kw/6500rpm	2.15kw/6500rpm	1.1kw/6500rpm
Displacement	41.5cc	41.5cc	35.8cc
Spray Mist Range	≥12m	≥12m	≥11m
Spray Powder Range	≥17m	≥17m	≥15m

3WF-30A

3WF-420

3WF-423

Model No.	3WF-30A	3WF-420	3WF-423
Tank Capacity	12L	20L	12L
Engine Model	1E52F	1E46FP	1E48FP
Engine Type	2-Stroke,Air cooled	2-Stroke,Air cooled	2-Stroke,Air cooled
Rated Power	3.6kw/7500rpm	2.5kw/7500rpm	3.0kw/7500rpm
Displacement	77cc	56.5cc	63cc
Spray Mist Range	≥15m	≥12m	≥15m
Spray Powder Range	≥20m	≥28m	≥20m

TM-OE520

TM-OE630

Model No.	TM-OE520	TM-OE630
Engine Model	1E44F	1E48F
Engine Type	2-Stroke,Air cooled	2-Stroke,Air cooled
Rated Power	1.8kw/6500rpm	2.4kw/6500rpm
Displacement	52cc	63cc
Transom height	400mm	400mm
Propeller Range	3-7inch	3-7inch

TM-OE144F

TM-OE170F

Model No.	TM-OE144F	TM-OE170F
Engine Model	1E44F	LC1P70F
Engine Type	4-Stroke,Air cooled	4-Stroke,Air cooled
Rated Power	1.5kw/6500rpm	4.0kw/6500rpm
Displacement	53.2cc	196cc
Transom height	400mm	400mm
Propeller Range	3-7inch	3-7inch

TM-HM52A
Gasoline Hammer

TM-HM435
Gasoline Hammer

Model No.	TM-HM52A	TM-HM435
Engine Model	1E44F-5A	GX35
Engine Type	2-Stroke,Air cooled	4 Stroke, Air-cooled
Rated Power	1.8kw/6500rpm	1.1kw/6500rpm
Displacement	51.7cc	35.8cc
Max Torque	3.5 N.M	3.5 N.M
Impact Frequency	1500BPM	1500BPM



TM-HD52
Gasoline HammerDriller

TM-HD435
Gasoline HammerDriller

Model No.	TM-HD52	TM-HD435
Engine Model	1E44F	GX35
Engine Type	2 Stroke, Air-cooled	4 Stroke, Air-cooled
Rated Power	1.8kw/6500rpm	1.1kw/6500rpm
Displacement	51.7cc	35.8cc
Max Torque	1.5 N.M	1.5 N.M
Impact Frequency	3200BPM	3200BPM

TM-SR350
Concrete Screed Ruler

TM-CV350
Concrete Vibrator

Model No.	TM-SR350	TM-CV350
Engine Model	GX35	GX35
Engine Type	4 Stroke	4 Stroke
Rated Power	1.1kw/6500rpm	1.1kw/6500rpm
Displacement	35.8cc	35.8cc
Blade length	1-6m	3m

TM-PH52
Gasoline Pile Hammer

TM-CM52
Gasoline Cut Off Saw

Model No.	TM-PH52	TM-CM52
Engine Model	1E44F	1E44F
Engine Type	2 Stroke, Air-cooled	2 Stroke, Air-cooled
Rated Power	1.8kw/6500rpm	1.8kw/6500rpm
Displacement	51.7cc	51.7cc
Max Torque	1.5 N.M	3.5 N.M
	Impact Frequency: 3000BPM	Max Disc Diameter: 350mm
	Impact Energy: 20-50J	Max Cutting Depth: 120mm

Pole saw

Pole hedge trimmer

Weeder-1

Weeder-2

Tiller-1

Tiller-2

Tiller-3

water pump

Rice harvestor

Blower

FACE SHIELD

1015

1016

1017

1018

1019

1020

SAFTY GOGGLES

1021

1022

1023

1024

1025

1026

KNEELET

1027

1028

1029

1030

1031

1032

BRUSH CUTTER BLADE

40T ALLOY-1

40T ALLOY-2

40T ALLOY-3

40T ALLOY-4

40T ALLOY-5

80T ALLOY-1

80T ALLOY-2

80T ALLOY-3

80T ALLOY-4

255X3T

255X3T-2

255X4T

255X8T

255X40T

255X60T

255X80T

305X2T(ALLOY)

305X2T(DIAMOND)

305X2T

CIRCULAR SAW BLADE

NEW DESIGN 6T

PLASTIC BLADE

SAWCHAIN BLADE

STEEL WIRE TRIMMER HEAD

WEED BLADE

TRIMMER HEAD

1301

1302

1303

1304

1305

1306

1307

1308

1309

1310

1311

1312

1313

1314

1315

1316

1317

1318

1319

1320

1321

TRIMMER LINE

1401

1402

1403

1404

1405

1406

1407

SHOULDER BRUSH CUTTER CONTROL BOX

1101

1102

1103

1104

1105

1106

1107

1108

1109

1110

1111

1112

1113

1114

1115

1116

BACKPACK BRUSH CUTTER CONTROL BOX

1117

1118

1119

1120

1121

BRUSH CUTTER HARNESS

1122

1123

1124

1125

1126

www.teamaxpower.com
www.teamaxtool.com

40V CORDLESS TOOLS

maxtec

GT309BLi — CORDLESS BRUSH CUTTER

40V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 40V DC
- Motor type:Brushless (Rear)
- Rated Power : 1000w
- No-load speed :8000rpm
- Max Cutting Width: 230mm
- Working shaft: 26mm
- With LCD display
- D handle or Bicycle handle

Accessories

6.0AH

1pcs x 3T blade 9"
1pc x trimmer head
1pc x belt

CS424Li — CORDLESS CHAIN SAW 16"

40V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 40V DC
- Motor type:Brushless
- Rated Power : 2000w
- Operation : two-hands
- No-load Speed: 8000rpm
- Max Cutting Length: 40cm(16")
- Chain Speed: 12m/s
- Chain lubricating: Automatic Type
- LCD display: Yes
- With electronic braking system

Accessories

6.0AH

EB807Li — CORDLESS BLOWER

40V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 40V DC
- Motor type:Brushless
- Rated Power : 600w
- No-load speed :10000rpm
- Max Cutting Width: 200mm
- Telescope range:100-140cm

Accessories

4.0AH

HT604Li — CORDLESS HEDGE TRIMMER

40V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 40V DC
- Motor type:Brushless
- Rated Power : 1200w
- No-load speed: 2200rpm
- Max Cutting Length:680mm
- Max Cutting Diameter: 20mm

Accessories

6.0AH

TL903Li — CORDLESS TILLER

40V

BRUSHLESS MOTOR

Description

- Li-ion Battery:20V+20V DC
- Motor type:Brushless
- Rated Power: 1000w
- No-load speed: 18000rpm
- Max Cutting Length:680mm
- Max Cutting Diameter: 20mm

Accessories

4.0AH

SB910Li — CORDLESS SNOW BLOWER

40V

BRUSHLESS MOTOR

Description

- Li-ion Battery:20V+20V DC
- Motor type:Brushless
- Rated Power : 3500w
- No-Load speed:2500rpm
- Working Height: 8cm
- Throwing Distance: 7m
- Throwing Height : 1 m

Accessories

4.0AH

GT302Li — CORDLESS GRASS TRIMMER

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushed(Front)
- Rated Power: 550W
- No-load Speed: 10000rpm
- Max Cutting Width: 150mm
- Telescope range: 90-130cm

Accessories

1.5AH 6" 6"

GT303Li — CORDLESS GRASS TRIMMER

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless(Front)
- Rated Power: 600W
- No-load speed: 10000rpm
- Max Cutting Width: 200mm
- Telescope range:100-140cm

Accessories

3.0AH 8" 8"

GT304Li — CORDLESS GRASS TRIMMER

Description

- Li-ion Battery: 20V DC
- Motor type:Brushless (Front)
- Rated Power: 600W
- No-load speed: 10000rpm
- Max Cutting Width: 200mm
- Telescope range:100-140cm

Accessories

2.0AH 8"

GT305Li — CORDLESS GRASS TRIMMER

Description

- Li-ion Battery: 20V DC
- Motor type: Brushed(Front)
- Rated Power: 800w
- No-load speed: 6400rpm
- Max Cutting Width: 200mm
- Telescope range:100-140cm

Accessories

3.0AH 8" 8"

GT306Li — CORDLESS GRASS TRIMMER

Description

- Li-ion Battery: 20V DC
- Motor type:Brushless (Rear)
- Rated Power : 1000W
- No-load speed :8000rpm
- Max Cutting Width: 230mm
- Working shaft: 150cm(Split shaft)

Accessories

3.0AH 9"

GT306BLi — CORDLESS GRASS TRIMMER

Description

- Li-ion Battery: 20V+20V DC
- Motor type:Brushless (Rear)
- Rated Power : 1200W
- No-load speed :8000rpm
- Max Cutting Width: 230mm
- Working shaft: 150cm(Split shaft)

Accessories

4.0AH 10"

GT307ALi — CORDLESS GRASS TRIMMER

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless(Front)
- Rated Power: 800W
- No-load Speed: 8000rpm
- Max Cutting Width: 255mm
- Working shaft: 150cm(Split shaft)

Accessories

4.0AH

GT307BLi — CORDLESS GRASS TRIMMER

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless(Front)
- Rated Power: 800W
- No-load speed: 8000rpm
- Max Cutting Width: 255mm
- Working shaft: 150cm(Split shaft)

Accessories

4.0AH

LM308Li — CORDLESS LAWN MOWER

Description

- Li-ion Battery: 20V DC
- Motor type:Brushless
- Rated Power:500W
- No-load speed:10000rpm
- Max Cutting Width: 230mm

Accessories

4.0AH

CS401Li — CORDLESS CHAIN SAW

20V

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushed
- Rated Power: 550W
- No-load Speed: 12000rpm
- Cutting Length: 10cm(4")-15cm(6")
- Chain Speed: 5m/s
- Chain Pitch: 1/4"
- Chain lubricating: No

Accessories

1.5AH

Plastic box

CS402Li — CORDLESS CHAIN SAW

20V

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushed
- Rated Power: 550W
- No-load Speed: 12000rpm
- Cutting Length: 5cm(6")
- Chain Speed: 7m/s
- Chain Pitch: 1/4"
- Chain lubricating: Manual type

Accessories

1.5AH

Plastic box

CS403Li — CORDLESS CHAIN SAW

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 800W
- Operation : one-hand
- No-load Speed: 12000rpm
- Cutting Length: 15cm(6")
- Chain Speed: 8m/s
- Chain Pitch: 1/4"
- Chain lubricating: Automatic type

Accessories

1.5AH

Plastic box

CS405Li — CORDLESS CHAIN SAW

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 800W
- Operation : one-hand
- No-load Speed: 12000rpm
- Cutting Length: 20cm(8")
- Chain Speed: 10m/s
- Chain Pitch: 1/4"
- Chain lubricating: Automatic type

Accessories

3.0AH

Plastic box

CS414Li — CORDLESS CHAIN SAW

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 800W
- Operation : one-hand
- No-load Speed: 12000rpm
- Cutting Length: 20cm(8")
- Chain Speed: 10m/s
- Chain Pitch: 1/4"
- Chain lubricating: Automatic type
- LCD display: Yes

Accessories

3.0AH

Plastic box

CS421Li — CORDLESS CHAIN SAW

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 800W
- Operation : two-hands
- No-load Speed: 10000rpm
- Cutting Length: 25cm(10")-30cm(12")
- Chain Speed: 8m/s
- Chain Pitch: 3/8"P
- Chain lubricating: Manual Type
- LCD display: NO

Accessories

3.0AH

Plastic box

CS405BLi — CORDLESS CHAIN SAW

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 1200W
- Operation : two-hands
- No-load Speed: 10000rpm
- Cutting Length: 30cm(12")
- Chain Speed: 10m/s
- Chain Pitch: 3/8"P
- Chain lubricating: Automatic type
- LCD display: Yes

Accessories

3.0AH

Plastic box

CS413Li — CORDLESS CHAIN SAW

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 1200W
- Operation : two-hands
- No-load Speed: 10000rpm
- Cutting Length: 30cm(12")
- Chain Speed: 15m/s
- Chain Pitch: 3/8"P
- Chain lubricating: Automatic type
- LCD display: Yes

Accessories

3.0AH

Plastic box

CS415Li — CORDLESS CHAIN SAW

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 1200W
- Operation : two-hands
- No-load Speed: 10000rpm
- Cutting Length: 30cm(12")
- Chain Speed: 15m/s
- Chain Pitch: 3/8"P
- Chain lubricating: Automatic type

Accessories

3.0AH

Plastic box

CS422Li — CORDLESS CHAIN SAW

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 1000W
- Operation : two-hands
- No-load Speed: 10000rpm
- Cutting Length: 30cm(12")
- Chain Speed: 10m/s
- Chain Pitch: 3/8"P
- Chain lubricating: Automatic Type
- LCD display: Yes

With electronic braking system

Accessories

5.0AH

CS408Li — CORDLESS CHAIN SAW

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V +20V DC
- Motor Type: Brushless
- Rated Power: 1800W
- Operation : two-hands
- No-load Speed: 8000rpm
- Cutting Length: 40cm(16")
- Chain Speed: 12m/s
- Chain Pitch: 3/8"P
- Chain lubricating: Automatic type
- LCD display: Yes

Accessories

4.0AH

CS418Li — CORDLESS CHAIN SAW

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V +20V DC
- Motor Type: Brushless
- Rated Power: 1800W
- Operation : two-hands
- No-load Speed: 8000rpm
- Cutting Length: 40cm(16")
- Chain Speed: 12m/s
- Chain lubricating: Automatic Type
- LCD display: Yes
- With electronic braking system

Accessories

4.0AH

SH2502Li — CORDLESS PRUNING SCISSOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery:20V DC
- Motor Type:Brushless
- Rated Power:300W
- Cutting Diameter: 0-28mm
- Blade material SK5
- LCD display:No

Accessories

1.5AH Plastic box

SH2503Li — CORDLESS PRUNING SCISSOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery:20V DC
- Motor Type:Brushless
- Rated Power:300W
- Cutting Diameter: 0-28mm
- Blade material SK5
- LCD display:No

Accessories

1.5AH Plastic box

SH4001Li — CORDLESS PRUNING SCISSOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery:20V DC
- Motor Type:Brushless
- Rated Power:450W
- Cutting Diameter: 0-40mm
- Blade material SK5
- LCD display:Yes

Accessories

2.0AH Plastic box

SH4002Li — CORDLESS PRUNING SCISSOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery:20V DC
- Motor Type:Brushless
- Rated Power:450W
- Cutting Diameter: 0-40mm
- Blade material SK5
- LCD display:Yes

Accessories

2.0AH Plastic box

SH2504Li — CORDLESS PRUNING SCISSOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery:20V DC
- Motor Type:Brushless
- Rated Power:300W
- Cutting Diameter: 0-28mm
- Blade material SK5
- LCD display:No

Accessories

1.5AH Plastic box

SH3502Li — CORDLESS PRUNING SCISSOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery:20V DC
- Motor Type:Brushless
- Rated Power:400W
- Cutting Diameter: 0-35mm
- Blade material SK5
- LCD display:Yes

Accessories

2.0AH Plastic box

SH4003Li — CORDLESS PRUNING SCISSOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery:20V DC
- Motor Type:Brushless
- Rated Power:450W
- Cutting Diameter: 0-40mm
- Blade material SK5
- LCD display:Yes

Accessories

2.0AH Plastic box

SH4501Li — CORDLESS PRUNING SCISSOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery:20V DC
- Motor Type:Brushless
- Rated Power:500W
- Cutting Diameter: 0-45mm
- Blade material SK5
- LCD display:Yes

Accessories

4.0AH Plastic box

SH3503Li — CORDLESS PRUNING SCISSOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery:20V DC
- Motor Type:Brushless
- Rated Power:400W
- Cutting Diameter: 0-35mm
- Blade material SK5
- LCD display:Yes

Accessories

2.0AH Plastic box

SH3504Li — CORDLESS PRUNING SCISSOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery:20V DC
- Motor Type:Brushless
- Rated Power:400W
- Cutting Diameter: 0-35mm
- Blade material SK5

Charging Time: 2-3H

- LCD display:Yes

Accessories

2.0AH Plastic box

SH4502Li — CORDLESS PRUNING SCISSOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery:20V DC
- Motor Type:Brushless
- Rated Power:500W
- Cutting Diameter: 0-45mm
- Blade material SK5
- LCD display:Yes

Accessories

4.0AH Plastic box

SH5501Li — CORDLESS PRUNING SCISSOR

25V BRUSHLESS MOTOR

Description

- Li-ion Battery:25V DC
- Motor Type:Brushless
- Rated Power:600W
- Cutting Diameter: 0-55mm
- Blade material SK5
- LCD display:Yes

Accessories

4.0AH Plastic box

P3001A/P3002A/P3003A

Model No.	P3001A	P3002A	P3003A
Max telescopic length	2.0m	2.5m	3.0m

P3001B/P3002B/P3003B

Model No.	P3001B	P3002B	P3003B
Max telescopic length	2.0m	2.5m	3.0m

P3011Li TELESCOPIC HEDGE TRIMMER

BRUSHLESS MOTOR 20V

Motor Type	Brushless
Li-ion Battery	20V DC
Rated Power	800W
Cutting Diameter	400mm
Max telescopic length	2.5m

3.0AH

P3012Li TELESCOPIC SAW

BRUSHLESS MOTOR 20V

Motor Type	Brushless
Li-ion Battery	20V DC
Rated Power	800W
Cutting Diameter	200mm
Max telescopic length	2.5m

3.0AH

BRUSHLESS MOTOR 20V

3.0AH

BRUSHLESS MOTOR 20V

3.0AH

P3015ALi P3015BLi

TELESCOPIC POLE SHEAR AND SAW		
Model No.	**P3015ALi**	**P3015BLi**
Li-ion Battery	20V DC	20V DC
Motor Type	Brushless	Brushless
Rated Power	300W	300W
Scissor	28mm	28mm
Chain saw	6"-15cm	6"-15cm
Telescopic scope	1.5-3.0m	1.5-3.0m

HT704Li — CORDLESS HEDGE TRIMMER

20V

Description

- Li-on Battery: 20V DC
- Motor Type: Brushed
- Rated Power: 400w
- No-load Speed: 1350rpm
- Max Cutting Length: 130mm (mower) 230mm(hedge trimmer)

Accessories

1.5AH

HT602Li — CORDLESS HEDGE TRIMMER

20V

Description

- Li-on Battery: 20V DC
- Motor Type: Brushed
- Rated Power: 600w
- No-load Speed: 2000rpm
- Max Cutting Length:480mm
- Max Cutting Diameter: 15mm

Accessories

3.0AH

HT603Li — CORDLESS HEDGE TRIMMER

20V

BRUSHLESS MOTOR

Description

- Li-on Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 800w
- No-load Speed: 2500rpm
- Max Cutting Length:680mm
- Max Cutting Diameter: 18mm

Accessories

4.0AH

HT604Li — CORDLESS HEDGE TRIMMER

20V

BRUSHLESS MOTOR

Description

- Li-on Battery: 20V+20V DC
- Motor Type: Brushless(Outer rotor)
- Rated Power:800w
- No-load speed: 2300rpm
- Max Cutting Length:680mm
- Max Cutting Diameter: 18mm

Accessories

4.0AH

4CD35Li — TEA LEAF PICKER

20V

BRUSHLESS MOTOR

Description

- Li-on Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 300w
- Blade Length:350mm
- Productivity:>30kg/h
- Regulator: Yes
- Blade: SK5

Accessories

4.0AH

4CD35ALi — TEA LEAF PICKER

20V

BRUSHLESS MOTOR

Description

- Li-on Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 300w
- Blade Length:350mm
- Productivity:>30kg/h

Accessories

4.0AH

EB801Li — CORDLESS BLOWER

20V

Description

- Li-on Battery: 20V DC
- Motor Type: Brushed
- Rated Power: 500w
- No-load Speed: 35000rpm
- Max Air Speed: 68m/s
- Max Air Volume:10m³/min
- Speed adjustable:NO

Accessories

1.5AH

EB802Li — CORDLESS BLOWER

20V

BRUSHLESS MOTOR

Description

- Li-on Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 800w
- No-load Speed: 28000rpm
- Max Air Speed: 75m/s
- Max Air Volume:13m³/min
- Speed adjustable:1-6 levels

Accessories

4.0AH

EB803Li — CORDLESS BLOWER

20V

BRUSHLESS MOTOR

Description

- Li-on Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 1000w
- No-load Speed: 30000rpm
- Max Air Speed: 85m/s
- Max Air Volume:15m³/min
- Speed adjustable:1-6 levels

Accessories

4.0AH

EB804Li — CORDLESS BLOWER

20V

BRUSHLESS MOTOR

Description

- Li-on Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 1200w
- No-load Speed: 30000rpm
- Max Air Speed: 85m/s
- Max Air Volume:15m³/min
- Speed adjustable:1-6 levels

Accessories

4.0AH

EB805Li — CORDLESS BLOWER

20V

BRUSHLESS MOTOR

Description

- Li-on Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 1200w
- No-load Speed: 25000rpm
- Max Air Speed: 85m/s
- Max Air Volume:15m³/min
- Speed adjustable:1-8 levels

Accessories

4.0AH

EB806Li — CORDLESS BLOWER

20V

BRUSHLESS MOTOR

Description

- Li-on Battery: 20V+20V DC
- Motor Type: Brushless
- Rated Power: 1600w
- No-load Speed: 33000rpm
- Max Air Speed: 85m/s
- Max Air Volume:20m³/min
- Speed adjustable:1-8 levels

Accessories

4.0AH

CP1001Li — CORDLESS DRILL

20V

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushed
- Max No-load Speed: 350/1350rpm
- Chuck size 10mm(3/8")
- Torque settings 18+1
- Max torque 30N.m
- Led light : Yes
- Battery indicator: Yes

Accessories

1.5AH

CP1002Li — CORDLESS DRILL

20V

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushed
- Max No-load Speed: 350/1350rpm
- Impact rate: 6000/2100bpm
- Chuck size 10mm(3/8")
- Torque settings 18+1
- Max torque 27N.m
- Led light : Yes
- Battery indicator: Yes

Accessories

2.0AH

CP1003Li — CORDLESS IMPACT DRILL

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Max No-load Speed: 450/1450rpm
- Impact rate: 6000/2100bpm
- Chuck size 13mm(1/2")
- Torque settings 20+3
- Max torque 80N.m
- Led light : Yes
- Battery indicator: Yes

Accessories

3.0AH

CP1004Li — CORDLESS IMPACT WRENCH

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Max No-load Speed: 1600/21000rpm
- Impact rate: 2600/3100bpm
- Chuck size:13mm(1/2")
- Max torque 320N.m
- Led light : Yes
- Battery indicator: Yes

Accessories

2.0AH

CP1005Li — CORDLESS IMPACT WRENCH

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Max No-load Speed: 1600/21000rpm
- Impact rate: 2600/3100bpm
- Chuck size:13mm(1/2")
- Max torque 450N.m
- Led light : Yes
- Battery indicator: Yes

Accessories

3.0AH

CP1006Li — CORDLESS IMPACT WRENCH

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Max No-load Speed: 1600/21000rpm
- Impact rate: 2600/3100bpm
- Chuck size:13mm(1/2")
- Max torque 850N.m
- Led light : Yes
- Battery indicator: Yes

Accessories

3.0AH

CP1007Li — CORDLESS SCREW DRIVER

20V

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushed
- Max No-load Speed: 350/1350rpm
- Chuck size:quick release 1/4" chuck
- Max torque:30N.m
- Led light : Yes
- Battery indicator: Yes

Accessories

1.5AH

CP1008Li — CORDLESS SCREW DRIVER

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Max No-load Speed: 450/1450rpm
- Chuck size:quick release 1/4" chuck
- Max torque:45N.m
- Led light : Yes
- Battery indicator: Yes

Accessories

2.0AH

CP1009Li — CORDLESS IMPACT SCREW DRIVER

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Max No-load Speed: 2200rpm
- Impact Rate : 3400bpm
- Chuck size:quick release 1/4" chuck
- Max torque:240N.m
- Led light : Yes
- Battery indicator: Yes

Accessories

2.0AH

CP1010Li — CORDLESS ANGLE GRINDER

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Max No-load Speed: 5000/6000/7000rpm
- Disc Dia.:100mm/110mm/125mm
- Led light : Yes
- Battery indicator: Yes

Accessories

4.0AH

CP1011Li — CORDLESS HAMMER

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Max No-load Speed: 1800rpm
- Impact Rate : 4500bpm
- Max Power: 2.4J
- Drilling size:13mm for steel
  30mm for wood
  26mm for concrete

Accessories

4.0AH

CP1012Li — CORDLESS HAMMER

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Max No-load Speed: 1800rpm
- Impact Rate : 4500bpm
- Max Power: 2.4J
- Drilling size:13mm for steel
  30mm for wood
  26mm for concrete

Accessories

4.0AH

HW901Li — CORDLESS HIGH PRESSURE WASHER

20V

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushed
- Rated Power: 500w
- Pressure : 1.8Mpa
- Water flow: 3.6L / min

Accessories

Plastic Box

1.5AH

HW901Li — CORDLESS HIGH PRESSURE WASHER

20V

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushed
- Rated Power: 500w
- Pressure : 2Mpa
- Water flow: 4L / min

Accessories

Plastic Box

1.5AH

HW902Li — CORDLESS HIGH PRESSURE WASHER

20V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 600w
- Pressure : 2.2Mpa
- Water flow: 5L / min

Accessories

Plastic Box

3.0AH

HW903Li — CORDLESS HIGH PRESSURE WASHER

20V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 800w
- Pressure : 2.2Mpa
- Water flow: 5L / min

Accessories

Plastic Box

3.0AH

HW904Li — CORDLESS HIGH PRESSURE WASHER

20V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 1000w
- Pressure : 2.2Mpa(adjustable)
- Water flow: 5.6L / min

Accessories

Plastic Box

3.0AH

HW905Li — CORDLESS HIGH PRESSURE WASHER

20V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 500w
- Pressure : 3.5Mpa(adjustable)
- Water flow: 4.2L / min

Accessories

3.0AH

MT200Li — CORDLESS MULTI-FUNCTION TOOLS

20V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Output power :300w
- Motor Type: Brushless
- No-load Speed: 18000rpm

MT201
TWO SPEED DRILL ATTACHMENT

- Chuck dia :10mm
- Torque: 32N.m
- No-load Speed: 1450rpm

MT202
SCREW DRIVER ATTACHMENT

- Chuck dia :6.35mm
- Torque: 180N.m
- No-load Speed: 3300rpm

MT203
IMPACT WRENCH ATTACHMENT

- Chuck dia :6.35mm+12.7mm
- Torque: 300N.m
- No-load Speed: 2800rpm

MT204
SANDER ATTACHMENT

- Plate size:94*135mm
- No-load Speed: 10000rpm

MT205
JIA SAW ATTACHMENT

- Cutting capacity :12.7mm
- No-load Speed: 2700rpm

MT206
RECIPROOCATING SAW ATTACHMENT

- Cutting capacity :15mm
- No-load Speed: 3000rpm

MT207
CHAIN SAW ATTACHMENT

- Cutting capacity :100mm
- No-load Speed: 4000rpm

MT208
MOWER ATTACHMENT

- Cutting capacity :80mm
- No-load Speed: 1200rpm

MT209
HEDGE TRIMMER ATTACHMENT

- Cutting capacity :160mm
- No-load Speed: 1200rpm

MT210
WASHER ATTACHMENT

- Flow :2.4L/min
- Pressure:3.0Mpa

MT211
BLOWER ATTACHMENT

- Air flow :2.8m³/min
- No-load Speed: 24000rpm

MT212
ANGLE GRINDER ATTACHMENT

- Cutting blade dia. :100mm
- blade inner dia. :16mm
- No-load Speed: 8000rpm

MT213
HAMMER DRILL ATTACHMENT

- Impact frequency:5500bpm
- Impact energy. :1.7J
- No-load Speed: 2000rpm

MT214
INFLATING PUMP ATTACHMENT

- Pressure:6.9Bar
- No-load Speed: 3300rpm

MT215
MT216
PLASTIC TOOLS BOX

- Dimension:3.65*28*11cm
- (3.65*28*19.5cm)

TL901PLi — CORDLESS MINI TILLER

20V

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushed
- Max No-load Speed: 330rpm
- Working Depth: 17cm
- Working Width: 22cm

Accessories

1.5AH

TL902Li — CORDLESS MINI TILLER

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Max No-load Speed: 330rpm
- Working Depth: 20cm
- Working Width: 22cm

Accessories

3.0AH

VR909Li — CORDLESS VIBRATION RULER

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 400W
- No load speed: 3000-6000rpm
- Scraper length :0.8-2m

Accessories

4.0AH

CL910Li — CORDLESS SHEEP CLIPPERS

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 200W
- No load speed: 2800rpm
- Working time : 1-1.5H(one charging)

Accessories

4.0AH

1set extra blade

SB909Li — CORDLESS SNOW BLOWER

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 800w
- No-Load speed:2500rpm
- Working Height: 8 cm
- Throwing Distance: 2-3m
- Throwing Height : 1 m

Accessories

3.0AH

EA904Li — CORDLESS EARTH AUGER

20V BRUSHLESS MOTOR

Description

- Lithium Battery: 20V+20V DC
- Motor Type: Brushless
- Adjustable speed: 6 Levels
- Optional bit size: 100/150/200mm

Accessories

4.0AH

F905Li — CORDLESS FAN

20V

Description

- Li-ion Battery: 20V DC
- Fan blade size:12"
- Motor Type: Brushed
- Rated Power: 400W
- No-Load speed:2800rpm
- Rotation angle:270°
- With led light

Accessories

3.0AH

RS906Li — CORDLESS RECIPROCATING SAW

20V

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushed
- Rated Power:550W
- Cutting stroke:15mm
- Max Cutting thickness: 150mm(wood)/6mm(metal) 40mm(plastic)

Accessories

1.5AH

Plastic box

PM907PLi — CORDLESS POLISHING MACHINE

20V BRUSHLESS MOTOR

PM907Li

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 400W
- No load speed: 80-200rpm
- Grinding Disc dia.:380mm

Accessories

3.0AH

VB908Li — CORDLESS VIBRATOR

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power: 400W
- No load speed: 3000-6000rpm
- Rod length :1m/1.5m/2.0m

Accessories

4.0AH

CS906Li — CORDLESS CIRCULAR SAW

20V BRUSHLESS MOTOR

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushless
- Rated Power:600W
- RNo Load Speed：3500rpm
- Saw blade：125mm

Accessories

4.0AH

Plastic box

CB906Li — CORDLESS CLEANING BUSH

20V

Description

- Li-ion Battery: 20V DC
- Motor Type: Brushed
- Rated Power:550W
- No Load Speed：1100rpm

Accessories

3.0AH

GT301Li — CORDLESS BRUSH CUTTER

12V

Description

- Li-ion Battery: 12V DC
- Motor Type: Brushed (Front)
- Rated Power: 450W
- No-load Speed: 10000rpm
- Max Cutting Width: 150mm
- Telescope: 90-130cm

Accessories

CS301Li — CORDLESS CHAIN SAW 4"

12V

Description

- Li-ion Battery: 12V DC
- Motor Type: Brushed
- Rated Power: 450W
- Operation : one-hand
- No-load Speed: 12000rpm
- Cutting Length: 10cm(4")
- Chain Speed: 8m/s
- Chain Pitch: 1/4"

Accessories

HW900Li — CORDLESS HIGH PRESSURE WASHER

12V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 12V DC
- Motor Type: Brushed
- Rated Power: 200w
- Pressure : 1.3Mpa
- Water flow: 3.9L / min

Accessories

PL1017Li — CORDLESS POLISHER

12V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 12V DC
- Motor Type: Brushed
- Rated Power: 320W
- No-load Speed: 4500rpm
- Polishing size : 150mm

Accessories

CS412BLi — CORDLESS CHAIN SAW 6"

16V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 16V DC
- Motor Type: Brushless
- Rated Power: 600W
- Operation : one-hand
- No-load Speed: 12000rpm
- Cutting Length:15cm(6")
- Chain Speed: 10m/s
- Chain Pitch: 1/4"

Accessories

SH2501Li — CORDLESS PRUNING SCISSOR (25mm)

16V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 16V DC
- Motor Type: Brushless
- Rated Power: 300W
- Cutting Diameter: 0-25mm
- Blade material: SK5
- LCD display:No

Accessories

GD902Li — CORDLESS GRINDER

12V

Description

- Li-ion Battery: 12V DC
- Motor Type: Brushed
- Rated Power: 250W
- No-load Speed: 12000rpm
- Dia of grinding :3.0mm

Accessories

CP1014Li — CORDLESS DRILL

12V

Description

- Li-ion Battery: 12V DC
- Motor Type: Brushed
- Max No-load Speed: 1250rpm
- Chuck size :1/4"
- Max torque 55N.m

Accessories

HT701Li — CORDLESS HEDGE TRIMMER

12V

Description

- Li-ion Battery: 12V DC
- Motor Type: Brushed
- Rated Power: 550W
- No-load Speed: 12000rpm
- Max Cutting Length: 120mm (mower) 200mm(hedge trimmer)

Accessories

AG907Li — CORDLESS ANGLE GRINDER

12V

Description

- Li-ion Battery: 12V DC
- Motor Type: Brushed
- Rated Power: 850W
- No-load Speed: 12000rpm
- Disc Dia: 3"(76mm)

Accessories

CP1015Li — CORDLESS DRILL

12V

Description

- Li-ion Battery: 12V DC
- Motor Type: Brushed
- Max No-load Speed: 1250rpm
- Chuck size :10mm
- Max torque : 30N.m

Accessories

CP1016Li — CORDLESS DRILL

12V

BRUSHLESS MOTOR

Description

- Li-ion Battery: 12V DC
- Motor Type: Brushless
- Max No-load Speed: 1350rpm
- Chuck size :10mm
- Max torque : 30N.m

Accessories

SD401Li — CORDLESS SCREW DRIVER

Description

- Li-ion Battery: 4V 1500mAh DC
- No-load speed :200rpm
- Torque: 3.0Nm
- Charging time: 2-3hrs

4V

SD402Li — CORDLESS SCREW DRIVER(2in1)

Description

- Li-ion Battery: 4V 1500mAh DC
- No-load speed :200rpm
- Torque: 3.0Nm
- Charging time: 2-3hrs

4V

SD403Li — CORDLESS SCREW DRIVER(2in1)

Description

- Li-ion Battery: 4V 1500mAh DC
- No-load speed :200rpm
- Torque: 3.0Nm
- Charging time: 2-3hrs
- With battery indicator and flashlight

4V

SC404Li — CORDLESS FABRIC SCISSOR

Description

- Li-ion Battery: 4V 2000mAh DC
- No-load speed :200rpm

4V

SC405Li — CORDLESS PAPER SCISSOR

Description

- Li-ion Battery: 4V 2000mAh DC
- No-load speed :200rpm

4V

SC406Li — CORDLESS PRUNING SCISSOR

Description

- Li-ion Battery: 4V 2000mAh DC
- No-load speed :200rpm
- Cutting Diameter: 10mm

4V

SC807Li — CORDLESS PRUNING SCISSOR

Description

- Li-ion Battery: 8V 4000mAh DC
- Motor Type: Brushless
- Cutting Diameter: 25mm

8V BRUSHLESS MOTOR

HT408Li — CORDLESS HEDGE TRIMMER

Description

- Li-ion Battery: 4V 2000mAh DC
- No-load speed :1100rpm
- Max Cutting Length:
  100mm (mower)
  150mm(hedge trimmer)

4V

HT809Li — CORDLESS HEDGE TRIMMER

Description

- Li-ion Battery: 8V 4000mAh DC
- No-load speed :1350rpm
- Max Cutting Length:
  100mm (mower)
  150mm(hedge trimmer)

8V

CP1020 — CORDLESS DRILL

Description

- Li-ion Battery: 8V 4000mAh DC
- No-load speed :200rpm
- Cutting Diameter: 25mm

8V

GD402Li — CORDLESS GRINDER

Description

- Li-ion Battery: 4V DC
- Rated Power: 150W
- No-load Speed: 12000rpm
- Dia of grinding :3.0mm

4V

SP403Li — CORDLESS SPRAYER

Description

- Li-ion Battery:4V DC
- Motor Type: Brushed
- Rated Power: 80w
- Tank capacity: 5L

4V